

WAVE REFLECTION PHYSICS

UNDERSTANDING WAVE REFLECTION PHYSICS

WAVE REFLECTION PHYSICS DESCRIBES A FUNDAMENTAL PHENOMENON OBSERVED ACROSS VARIOUS DISCIPLINES, FROM LIGHT AND SOUND TO SEISMIC ACTIVITY AND WATER WAVES. WHEN A WAVE ENCOUNTERS A BOUNDARY OR AN INTERFACE BETWEEN TWO DIFFERENT MEDIA, A PORTION OF ITS ENERGY BOUNCES BACK INTO THE ORIGINAL MEDIUM. THIS REDIRECTION OF WAVE ENERGY IS THE ESSENCE OF REFLECTION, A PROCESS GOVERNED BY PRECISE PHYSICAL LAWS. THIS ARTICLE WILL DELVE INTO THE INTRICATE DETAILS OF WAVE REFLECTION, EXPLORING ITS UNDERLYING PRINCIPLES, THE FACTORS INFLUENCING IT, AND ITS DIVERSE APPLICATIONS IN SCIENCE AND TECHNOLOGY. WE WILL EXAMINE HOW THE ANGLE OF INCIDENCE RELATES TO THE ANGLE OF REFLECTION, DISCUSS THE CONCEPTS OF CONSTRUCTIVE AND DESTRUCTIVE INTERFERENCE AS THEY PERTAIN TO REFLECTED WAVES, AND EXPLORE HOW DIFFERENT TYPES OF BOUNDARIES AFFECT THE NATURE OF THE REFLECTION. FURTHERMORE, WE WILL TOUCH UPON THE MATHEMATICAL FRAMEWORKS USED TO DESCRIBE THIS PHENOMENON AND HIGHLIGHT ITS SIGNIFICANCE IN OUR UNDERSTANDING OF THE WORLD AROUND US.

TABLE OF CONTENTS

- THE FUNDAMENTAL PRINCIPLES OF WAVE REFLECTION
- THE LAW OF REFLECTION
- TYPES OF WAVE REFLECTION
- FACTORS INFLUENCING WAVE REFLECTION
- MATHEMATICAL DESCRIPTION OF WAVE REFLECTION
- APPLICATIONS OF WAVE REFLECTION

THE FUNDAMENTAL PRINCIPLES OF WAVE REFLECTION

AT ITS CORE, WAVE REFLECTION OCCURS WHEN A PROPAGATING WAVE, BE IT MECHANICAL OR ELECTROMAGNETIC, INTERACTS WITH A DISCONTINUITY IN ITS MEDIUM OF TRAVEL. THIS DISCONTINUITY COULD BE A CHANGE IN DENSITY, IMPEDANCE, TEMPERATURE, OR ANY OTHER PROPERTY THAT AFFECTS HOW THE WAVE PROPAGATES. THINK OF IT LIKE THROWING A BALL AT A SOLID WALL; MOST OF THE BALL'S ENERGY IS RETURNED TO YOU. WAVES BEHAVE SIMILARLY, THOUGH WITH MORE NUANCED INTERACTIONS. THE KEY PRINCIPLE IS THE CONSERVATION OF ENERGY; THE INCIDENT WAVE'S ENERGY DOESN'T SIMPLY VANISH AT THE BOUNDARY. INSTEAD, IT IS PARTIALLY TRANSMITTED INTO THE SECOND MEDIUM AND PARTIALLY REFLECTED BACK. THE AMOUNT OF ENERGY REFLECTED DEPENDS HEAVILY ON THE PROPERTIES OF THE TWO MEDIA INVOLVED AND THE ANGLE AT WHICH THE WAVE STRIKES THE BOUNDARY.

THIS INTERACTION ISN'T A ONE-SIZE-FITS-ALL EVENT. THE NATURE OF THE WAVE ITSELF – WHETHER IT'S A TRANSVERSE WAVE LIKE LIGHT OR A LONGITUDINAL WAVE LIKE SOUND – CAN INFLUENCE HOW IT REFLECTS. FURTHERMORE, THE CHARACTERISTICS OF THE BOUNDARY PLAY A CRUCIAL ROLE. A SMOOTH, RIGID SURFACE WILL REFLECT A WAVE DIFFERENTLY THAN A SOFT, YIELDING ONE, OR A BOUNDARY THAT ALLOWS FOR SIGNIFICANT ENERGY TRANSFER. UNDERSTANDING THESE FUNDAMENTAL INTERACTIONS IS THE FIRST STEP IN APPRECIATING THE BROADER IMPLICATIONS OF WAVE REFLECTION PHYSICS.

THE LAW OF REFLECTION

PERHAPS THE MOST ICONIC ASPECT OF WAVE REFLECTION PHYSICS IS THE LAW OF REFLECTION. THIS LAW, ELEGANTLY SIMPLE YET PROFOUNDLY IMPORTANT, DICTATES THE DIRECTION IN WHICH A REFLECTED WAVE TRAVELS. IT STATES THAT THE ANGLE OF

INCIDENCE IS EQUAL TO THE ANGLE OF REFLECTION. BUT WHAT EXACTLY ARE THESE ANGLES? IMAGINE A LINE PERPENDICULAR TO THE REFLECTING SURFACE AT THE POINT WHERE THE WAVE STRIKES; THIS IMAGINARY LINE IS CALLED THE NORMAL. THE ANGLE OF INCIDENCE IS THE ANGLE BETWEEN THE INCOMING (INCIDENT) WAVE AND THIS NORMAL. SIMILARLY, THE ANGLE OF REFLECTION IS THE ANGLE BETWEEN THE OUTGOING (REFLECTED) WAVE AND THE SAME NORMAL. SO, IF A LIGHT RAY HITS A MIRROR AT A 30-DEGREE ANGLE TO THE NORMAL, IT WILL BOUNCE OFF AT A 30-DEGREE ANGLE TO THE NORMAL.

THIS LAW HOLDS TRUE FOR ALL TYPES OF WAVES, WHETHER THEY ARE LIGHT RAYS, SOUND WAVES, OR EVEN WATER RIPPLES. IT'S A FUNDAMENTAL GEOMETRIC PRINCIPLE THAT GOVERNS HOW WAVES REDIRECT THEMSELVES. THE INCIDENT RAY, THE REFLECTED RAY, AND THE NORMAL ALL LIE IN THE SAME PLANE. THIS PREDICTABLE BEHAVIOR IS WHAT ALLOWS US TO DESIGN OPTICAL INSTRUMENTS, UNDERSTAND ECHOES, AND EVEN CREATE ILLUSIONS. WITHOUT THE LAW OF REFLECTION, MANY OF THE TECHNOLOGIES WE RELY ON, FROM TELESCOPES TO SONAR SYSTEMS, WOULD SIMPLY NOT BE POSSIBLE.

TYPES OF WAVE REFLECTION

WAVE REFLECTION CAN MANIFEST IN SEVERAL DISTINCT WAYS, DEPENDING ON THE NATURE OF THE REFLECTING SURFACE AND THE PROPERTIES OF THE INCIDENT WAVE. WE OFTEN CATEGORIZE REFLECTION INTO TWO PRIMARY TYPES: SPECULAR REFLECTION AND DIFFUSE REFLECTION. UNDERSTANDING THE DIFFERENCE BETWEEN THESE IS KEY TO COMPREHENDING HOW WE PERCEIVE OUR SURROUNDINGS.

SPECULAR REFLECTION

SPECULAR REFLECTION OCCURS WHEN A WAVE STRIKES A SMOOTH SURFACE, SUCH AS A MIRROR OR A POLISHED METAL. IN THIS SCENARIO, THE INCIDENT WAVES ARE REFLECTED IN A SINGLE, CONCENTRATED DIRECTION, MAINTAINING THEIR COHERENCE. IF YOU'VE EVER SEEN YOUR REFLECTION IN A PERFECTLY STILL LAKE OR A SHINY SPOON, YOU'VE WITNESSED SPECULAR REFLECTION. THE PARALLEL INCIDENT RAYS REMAIN PARALLEL AFTER REFLECTION, PRESERVING THE IMAGE OF THE SOURCE. THIS TYPE OF REFLECTION IS GOVERNED DIRECTLY BY THE LAW OF REFLECTION, WHERE EACH INDIVIDUAL RAY FOLLOWS THE ANGLE OF INCIDENCE EQUALS ANGLE OF REFLECTION RULE, RESULTING IN A CLEAR AND SHARP REFLECTED IMAGE.

DIFFUSE REFLECTION

DIFFUSE REFLECTION, ON THE OTHER HAND, HAPPENS WHEN A WAVE ENCOUNTERS A ROUGH OR UNEVEN SURFACE. THINK ABOUT A WHITE WALL, A PIECE OF PAPER, OR A MATTE PAINTED SURFACE. WHEN WAVES HIT THESE SURFACES, THEY ARE REFLECTED IN MANY DIFFERENT DIRECTIONS. THIS SCATTERING IS BECAUSE THE SURFACE IRREGULARITIES ARE COMPARABLE IN SIZE TO THE WAVELENGTH OF THE INCOMING WAVE. EACH TINY PART OF THE SURFACE ACTS LIKE A MINIATURE MIRROR, BUT ORIENTED AT A DIFFERENT ANGLE. THEREFORE, THE REFLECTED RAYS SCATTER RANDOMLY, AND WE DON'T SEE A COHERENT IMAGE. MOST OBJECTS WE SEE IN EVERYDAY LIFE ARE VISIBLE TO US BECAUSE THEY DIFFUSELY REFLECT LIGHT, SCATTERING IT TOWARDS OUR EYES FROM ALL ANGLES.

TOTAL INTERNAL REFLECTION

A PARTICULARLY FASCINATING PHENOMENON IS TOTAL INTERNAL REFLECTION (TIR). THIS OCCURS WHEN A WAVE TRAVELING FROM A DENSER MEDIUM TO A LESS DENSE MEDIUM STRIKES THE BOUNDARY AT AN ANGLE GREATER THAN A CRITICAL ANGLE. INSTEAD OF BEING PARTIALLY REFRACTED INTO THE SECOND MEDIUM, THE ENTIRE WAVE IS REFLECTED BACK INTO THE ORIGINAL MEDIUM. THIS PRINCIPLE IS FUNDAMENTAL TO THE OPERATION OF FIBER OPTICS, WHERE LIGHT SIGNALS ARE GUIDED OVER LONG DISTANCES WITH MINIMAL LOSS. IMAGINE TRYING TO SHINE A FLASHLIGHT FROM UNDER WATER UPWARDS TOWARDS THE SURFACE; AT CERTAIN ANGLES, ALL THE LIGHT WILL STAY WITHIN THE WATER, CREATING A MIRROR-LIKE EFFECT AT THE SURFACE BOUNDARY.

FACTORS INFLUENCING WAVE REFLECTION

SEVERAL FACTORS DICTATE THE OUTCOME OF A WAVE ENCOUNTERING A BOUNDARY, MOVING BEYOND JUST THE ANGLES INVOLVED. THE INTERPLAY OF THESE ELEMENTS DETERMINES HOW MUCH ENERGY IS REFLECTED AND HOW THE WAVE'S CHARACTERISTICS ARE ALTERED.

IMPEDANCE MISMATCH

ONE OF THE MOST CRUCIAL FACTORS INFLUENCING WAVE REFLECTION IS THE IMPEDANCE MISMATCH BETWEEN THE TWO MEDIA. ACOUSTIC IMPEDANCE, FOR EXAMPLE, IS THE RESISTANCE A MEDIUM OFFERS TO THE PROPAGATION OF SOUND WAVES. WHEN A SOUND WAVE TRAVELS FROM AIR INTO WATER, THERE IS A SIGNIFICANT DIFFERENCE IN THEIR ACOUSTIC IMPEDANCES. THIS LARGE MISMATCH CAUSES A SUBSTANTIAL PORTION OF THE SOUND ENERGY TO BE REFLECTED BACK AT THE INTERFACE. CONVERSELY, IF THE IMPEDANCES ARE VERY SIMILAR, MOST OF THE WAVE ENERGY WILL BE TRANSMITTED, AND VERY LITTLE WILL BE REFLECTED.

WAVELENGTH AND SURFACE ROUGHNESS

AS MENTIONED IN THE DISCUSSION OF DIFFUSE REFLECTION, THE RELATIONSHIP BETWEEN THE WAVELENGTH OF THE WAVE AND THE ROUGHNESS OF THE SURFACE IS PARAMOUNT. IF THE SURFACE IRREGULARITIES ARE MUCH SMALLER THAN THE WAVELENGTH, THE REFLECTION WILL BE PREDOMINANTLY SPECULAR, BEHAVING AS IF THE SURFACE WERE SMOOTH. HOWEVER, IF THE SURFACE IRREGULARITIES ARE COMPARABLE TO OR LARGER THAN THE WAVELENGTH, DIFFUSE REFLECTION WILL DOMINATE, SCATTERING THE WAVE IN MULTIPLE DIRECTIONS.

ANGLE OF INCIDENCE

WHILE THE LAW OF REFLECTION DICTATES THAT THE ANGLE OF INCIDENCE EQUALS THE ANGLE OF REFLECTION, THE ANGLE ITSELF INFLUENCES THE AMOUNT OF ENERGY REFLECTED. FOR MOST INTERFACES, AS THE ANGLE OF INCIDENCE APPROACHES GRAZING ANGLES (VERY SHALLOW ANGLES RELATIVE TO THE SURFACE), THE REFLECTIVITY INCREASES. THIS MEANS MORE OF THE WAVE ENERGY IS BOUNCED BACK, AND LESS IS TRANSMITTED. THIS IS WHY YOU MIGHT SEE MORE REFLECTION OFF A WET ROAD WHEN LOOKING AT IT AT A SHALLOW ANGLE.

MATHEMATICAL DESCRIPTION OF WAVE REFLECTION

TO QUANTITATIVELY UNDERSTAND WAVE REFLECTION PHYSICS, WE EMPLOY MATHEMATICAL MODELS. THESE EQUATIONS ALLOW US TO PREDICT THE AMPLITUDE, PHASE, AND DIRECTION OF REFLECTED WAVES. FOR SIMPLE CASES, LIKE PLANE WAVES REFLECTING OFF A PLANAR BOUNDARY, THE ANALYSIS IS RELATIVELY STRAIGHTFORWARD.

REFLECTION COEFFICIENT

THE REFLECTION COEFFICIENT (R) IS A DIMENSIONLESS QUANTITY THAT DESCRIBES THE RATIO OF THE AMPLITUDE OF THE REFLECTED WAVE TO THE AMPLITUDE OF THE INCIDENT WAVE. FOR WAVES, AMPLITUDE OFTEN RELATES TO INTENSITY, SO THE REFLECTION COEFFICIENT SQUARED ($|R|^2$) REPRESENTS THE FRACTION OF ENERGY REFLECTED. THIS COEFFICIENT IS DIRECTLY RELATED TO THE IMPEDANCE OF THE TWO MEDIA. FOR EXAMPLE, FOR A PLANE WAVE INCIDENT NORMALLY ON A BOUNDARY BETWEEN MEDIUM 1 (IMPEDANCE Z_1) AND MEDIUM 2 (IMPEDANCE Z_2), THE REFLECTION COEFFICIENT IS GIVEN BY:

$$R = (Z_2 - Z_1) / (Z_2 + Z_1)$$

A POSITIVE R INDICATES THAT THE REFLECTED WAVE HAS THE SAME PHASE AS THE INCIDENT WAVE, WHILE A NEGATIVE R MEANS THE PHASE IS INVERTED (SHIFTED BY 180 DEGREES). IF $Z_1 = Z_2$, THEN $R = 0$, MEANING NO REFLECTION OCCURS.

TRANSMISSION COEFFICIENT

COMPLEMENTARY TO THE REFLECTION COEFFICIENT IS THE TRANSMISSION COEFFICIENT (T), WHICH DESCRIBES THE RATIO OF THE AMPLITUDE OF THE TRANSMITTED WAVE TO THE AMPLITUDE OF THE INCIDENT WAVE. THE CONSERVATION OF ENERGY DICTATES THAT THE SUM OF THE REFLECTED AND TRANSMITTED ENERGY FRACTIONS MUST EQUAL 1 (ASSUMING NO ABSORPTION). THEREFORE, $|R|^2 + |T|^2 = 1$ FOR INTENSITY, OR $R + T = 1$ FOR AMPLITUDES IN CERTAIN IDEALIZED SCENARIOS.

APPLICATIONS OF WAVE REFLECTION

THE PRINCIPLES OF WAVE REFLECTION ARE NOT JUST THEORETICAL CURIOSITIES; THEY ARE THE BEDROCK OF NUMEROUS TECHNOLOGIES AND NATURAL PHENOMENA WE ENCOUNTER DAILY.

OPTICS AND IMAGING

THE MOST VISIBLE APPLICATION OF WAVE REFLECTION IS IN OPTICS. MIRRORS, ESSENTIAL COMPONENTS IN TELESCOPES, MICROSCOPES, AND EVEN EVERYDAY VANITY MIRRORS, RELY ON SPECULAR REFLECTION OF LIGHT. THE DESIGN OF CAMERA LENSES AND EYEGASSES ALSO INCORPORATES UNDERSTANDING HOW LIGHT REFLECTS AND REFRACTS AT DIFFERENT SURFACES TO FOCUS IMAGES CORRECTLY. THE ABILITY TO CREATE CLEAR, ACCURATE IMAGES IS ENTIRELY DEPENDENT ON PREDICTABLE WAVE REFLECTION.

ACOUSTICS AND SOUND ENGINEERING

IN ACOUSTICS, REFLECTION IS RESPONSIBLE FOR ECHOES. WHEN SOUND WAVES BOUNCE OFF SURFACES, THEY RETURN TO THE LISTENER AS DELAYED VERSIONS OF THE ORIGINAL SOUND. THIS PRINCIPLE IS UTILIZED IN ARCHITECTURAL ACOUSTICS TO DESIGN CONCERT HALLS AND LECTURE ROOMS WITH OPTIMAL SOUND QUALITY, CONTROLLING REVERBERATION. SONAR SYSTEMS, USED IN SUBMARINES AND FOR UNDERWATER MAPPING, EMIT SOUND PULSES AND ANALYZE THE REFLECTED ECHOES TO DETECT OBJECTS AND DETERMINE DISTANCES. MEDICAL ULTRASOUND IMAGING ALSO RELIES ON THE REFLECTION OF SOUND WAVES FROM INTERNAL TISSUES TO CREATE IMAGES OF ORGANS AND MONITOR FETAL DEVELOPMENT.

GEOLOGY AND SEISMOLOGY

SEISMIC WAVES, GENERATED BY EARTHQUAKES, REFLECT OFF DIFFERENT GEOLOGICAL LAYERS BENEATH THE EARTH'S SURFACE. SEISMOLOGISTS STUDY THESE REFLECTED WAVES TO UNDERSTAND THE EARTH'S INTERNAL STRUCTURE, LOCATE UNDERGROUND RESOURCES LIKE OIL AND GAS, AND MAP FAULT LINES. ANALYZING THE TIME IT TAKES FOR THESE WAVES TO RETURN AND THEIR CHARACTERISTICS PROVIDES INVALUABLE INFORMATION ABOUT WHAT LIES BENEATH OUR FEET.

WIRELESS COMMUNICATION

RADIO WAVES AND MICROWAVES USED IN WIRELESS COMMUNICATION ALSO EXHIBIT REFLECTION. SIGNALS BOUNCING OFF BUILDINGS, THE IONOSPHERE, AND OTHER OBJECTS CAN BE BOTH A BENEFIT AND A CHALLENGE. FOR INSTANCE, REFLECTION OFF THE IONOSPHERE ALLOWS FOR LONG-DISTANCE RADIO COMMUNICATION (SKYWAVE PROPAGATION). HOWEVER, REFLECTIONS FROM

URBAN STRUCTURES CAN LEAD TO MULTIPATH INTERFERENCE, DEGRADING SIGNAL QUALITY IN MOBILE PHONE COMMUNICATIONS. UNDERSTANDING THESE REFLECTION PATTERNS HELPS OPTIMIZE ANTENNA DESIGN AND SIGNAL PROCESSING TECHNIQUES.

CONCLUSION

WAVE REFLECTION PHYSICS IS A CAPTIVATING FIELD THAT REVEALS THE PREDICTABLE AND EXPLOITABLE NATURE OF WAVE BEHAVIOR. FROM THE SIMPLE ELEGANCE OF THE LAW OF REFLECTION TO THE COMPLEX INTERPLAY OF IMPEDANCE AND WAVELENGTH, THE PRINCIPLES GOVERNING HOW WAVES BOUNCE BACK ARE FUNDAMENTAL TO OUR UNDERSTANDING OF THE UNIVERSE. THE ABILITY TO MANIPULATE AND PREDICT THESE REFLECTIONS UNDERPINS A VAST ARRAY OF SCIENTIFIC AND TECHNOLOGICAL ADVANCEMENTS, SHAPING HOW WE SEE, HEAR, AND INTERACT WITH OUR WORLD. WHETHER OBSERVING A DAZZLING RAINBOW, USING SONAR TO EXPLORE THE OCEAN DEPTHS, OR COMMUNICATING WIRELESSLY ACROSS CONTINENTS, THE PERVASIVE INFLUENCE OF WAVE REFLECTION PHYSICS IS UNDENIABLE.

FREQUENTLY ASKED QUESTIONS

Q: WHAT IS THE PRIMARY DIFFERENCE BETWEEN SPECULAR AND DIFFUSE REFLECTION IN WAVE REFLECTION PHYSICS?

A: SPECULAR REFLECTION OCCURS OFF SMOOTH SURFACES, REFLECTING WAVES IN A SINGLE DIRECTION AND PRESERVING IMAGE CLARITY, LIKE A MIRROR. DIFFUSE REFLECTION HAPPENS OFF ROUGH SURFACES, SCATTERING WAVES IN MULTIPLE DIRECTIONS, MAKING OBJECTS VISIBLE BY SPREADING LIGHT.

Q: HOW DOES THE CONCEPT OF IMPEDANCE MISMATCH AFFECT WAVE REFLECTION?

A: A LARGE IMPEDANCE MISMATCH BETWEEN TWO MEDIA CAUSES A SIGNIFICANT AMOUNT OF WAVE ENERGY TO BE REFLECTED AT THE BOUNDARY. CONVERSELY, A SMALL IMPEDANCE MISMATCH LEADS TO MORE ENERGY BEING TRANSMITTED AND LESS REFLECTED.

Q: CAN YOU EXPLAIN TOTAL INTERNAL REFLECTION AND ITS IMPORTANCE?

A: TOTAL INTERNAL REFLECTION OCCURS WHEN A WAVE TRAVELING FROM A DENSER TO A LESS DENSE MEDIUM STRIKES THE BOUNDARY AT AN ANGLE GREATER THAN THE CRITICAL ANGLE, CAUSING THE ENTIRE WAVE TO REFLECT BACK INTO THE ORIGINAL MEDIUM. IT'S CRUCIAL FOR TECHNOLOGIES LIKE FIBER OPTICS.

Q: WHAT IS THE ROLE OF THE ANGLE OF INCIDENCE IN WAVE REFLECTION PHYSICS?

A: THE ANGLE OF INCIDENCE, ALONG WITH THE ANGLE OF REFLECTION, ARE KEY COMPONENTS OF THE LAW OF REFLECTION (ANGLE OF INCIDENCE EQUALS ANGLE OF REFLECTION). ADDITIONALLY, THE ANGLE OF INCIDENCE INFLUENCES THE AMOUNT OF ENERGY REFLECTED, WITH REFLECTIVITY GENERALLY INCREASING AT GRAZING ANGLES.

Q: HOW IS WAVE REFLECTION APPLIED IN MEDICAL IMAGING?

A: MEDICAL ULTRASOUND IMAGING UTILIZES THE REFLECTION OF SOUND WAVES FROM DIFFERENT INTERNAL TISSUES AND ORGANS. BY ANALYZING THE TIMING AND INTENSITY OF THESE REFLECTED ECHOES, A DETAILED IMAGE OF THE BODY'S INTERNAL STRUCTURES CAN BE CREATED.

Q: IS WAVE REFLECTION ALWAYS A COMPLETE BOUNCE-BACK, OR IS SOME ENERGY ALWAYS TRANSMITTED?

A: IN MOST REAL-WORLD SCENARIOS, WAVE REFLECTION INVOLVES BOTH REFLECTION AND TRANSMISSION. A PORTION OF THE INCIDENT WAVE'S ENERGY BOUNCES BACK, WHILE ANOTHER PORTION PASSES INTO THE SECOND MEDIUM. TOTAL INTERNAL REFLECTION IS A SPECIAL CASE WHERE TRANSMISSION IS ENTIRELY PREVENTED.

Q: HOW DOES THE WAVELENGTH OF A WAVE INFLUENCE ITS REFLECTION FROM A SURFACE?

A: THE WAVELENGTH IS CRITICAL IN DETERMINING WHETHER REFLECTION WILL BE SPECULAR OR DIFFUSE. IF THE SURFACE'S IRREGULARITIES ARE MUCH SMALLER THAN THE WAVELENGTH, THE REFLECTION IS PREDOMINANTLY SPECULAR. IF THE IRREGULARITIES ARE COMPARABLE TO OR LARGER THAN THE WAVELENGTH, DIFFUSE REFLECTION OCCURS.

Wave Reflection Physics

Wave Reflection Physics

Related Articles

- [what is joules in physics](#)
- [what does rms mean in physics](#)
- [value of epsilon not in physics](#)

[Back to Home](#)