

WHAT IS SIGMA IN PHYSICS

THE TITLE OF THIS ARTICLE IS: UNRAVELING THE SIGMA SYMBOL IN PHYSICS: A COMPREHENSIVE GUIDE

WHAT IS SIGMA IN PHYSICS, A QUESTION THAT OFTEN ARISES AS STUDENTS ENCOUNTER THIS UBIQUITOUS GREEK LETTER IN TEXTBOOKS AND LECTURES. FAR FROM BEING A SINGLE, MONOLITHIC CONCEPT, SIGMA (σ) IN PHYSICS REPRESENTS A VERSATILE AND FUNDAMENTAL SYMBOL, PRIMARILY DENOTING A STANDARD DEVIATION, BUT ALSO APPEARING IN VARIOUS OTHER CRUCIAL CONTEXTS. UNDERSTANDING ITS DIVERSE APPLICATIONS IS KEY TO GRASPING MANY CORE PRINCIPLES ACROSS MECHANICS, THERMODYNAMICS, ELECTROMAGNETISM, AND QUANTUM MECHANICS. THIS ARTICLE AIMS TO DEMYSTIFY THE MULTIFACETED NATURE OF SIGMA, EXPLORING ITS CENTRAL ROLE IN STATISTICAL ANALYSIS, ITS SIGNIFICANCE IN EXPRESSING PHYSICAL QUANTITIES, AND ITS APPEARANCE IN ESSENTIAL EQUATIONS THAT SHAPE OUR UNDERSTANDING OF THE UNIVERSE. WE WILL DELVE INTO ITS MEANING AS A MEASURE OF DISPERSION, ITS REPRESENTATION OF CROSS-SECTIONS IN PARTICLE PHYSICS, AND ITS BROADER IMPLICATIONS IN PHYSICAL PHENOMENA.

TABLE OF CONTENTS

WHAT IS SIGMA IN PHYSICS? THE CORE MEANING

SIGMA AS STANDARD DEVIATION: QUANTIFYING UNCERTAINTY

SIGMA IN THERMODYNAMICS AND STATISTICAL MECHANICS

SIGMA IN ELECTROMAGNETISM AND OPTICS

SIGMA IN PARTICLE PHYSICS: THE CROSS-SECTION

OTHER NOTABLE USES OF SIGMA IN PHYSICS

FREQUENTLY ASKED QUESTIONS

WHAT IS SIGMA IN PHYSICS? THE CORE MEANING

AT ITS HEART, WHEN MOST PHYSICISTS REFER TO "SIGMA," THEY ARE TALKING ABOUT THE GREEK LETTER SIGMA (σ) USED TO REPRESENT THE **STANDARD DEVIATION**. THIS IS ITS MOST COMMON AND WIDELY UNDERSTOOD APPLICATION. STANDARD DEVIATION IS A STATISTICAL MEASURE THAT QUANTIFIES THE AMOUNT OF VARIATION OR DISPERSION OF A SET OF DATA VALUES. IN SIMPLER TERMS, IT TELLS YOU HOW SPREAD OUT YOUR DATA POINTS ARE FROM THE AVERAGE (MEAN). A LOW STANDARD DEVIATION INDICATES THAT THE DATA POINTS TEND TO BE CLOSE TO THE MEAN, WHILE A HIGH STANDARD DEVIATION SIGNIFIES THAT THE DATA POINTS ARE SPREAD OUT OVER A WIDER RANGE OF VALUES. THIS CONCEPT IS ABSOLUTELY FUNDAMENTAL IN EXPERIMENTAL PHYSICS, WHERE NO MEASUREMENT IS EVER PERFECTLY PRECISE. EVERY OBSERVATION CARRIES SOME DEGREE OF UNCERTAINTY, AND STANDARD DEVIATION IS OUR PRIMARY TOOL FOR EXPRESSING AND UNDERSTANDING THAT UNCERTAINTY.

HOWEVER, THE VERSATILITY OF THE SIGMA SYMBOL MEANS ITS MEANING CAN SHIFT DEPENDING ON THE SPECIFIC BRANCH OF PHYSICS OR THE CONTEXT IN WHICH IT APPEARS. IT'S LIKE HAVING A SINGLE TOOL THAT CAN BE USED FOR MANY DIFFERENT JOBS. WHILE THE CORE IDEA OF "SPREAD" OR "VARIATION" OFTEN REMAINS THEMATICALLY LINKED, THE SPECIFIC PHYSICAL QUANTITY OR CONCEPT IT REPRESENTS CAN DIFFER SIGNIFICANTLY. FOR INSTANCE, IN PARTICLE PHYSICS, A SIGMA MIGHT REPRESENT A CROSS-SECTION, A MEASURE OF THE PROBABILITY OF A PARTICULAR INTERACTION OCCURRING. IN OPTICS, IT COULD RELATE TO THE CONDUCTIVITY OF A MATERIAL. THEREFORE, IT IS CRUCIAL FOR ANY STUDENT OR PROFESSIONAL IN PHYSICS TO PAY CLOSE ATTENTION TO THE SURROUNDING CONTEXT TO CORRECTLY INTERPRET WHAT SIGMA SIGNIFIES.

SIGMA AS STANDARD DEVIATION: QUANTIFYING UNCERTAINTY

THE MOST PREVALENT MEANING OF SIGMA (σ) IN PHYSICS IS ITS ROLE AS THE SYMBOL FOR **STANDARD DEVIATION**. IMAGINE YOU'RE MEASURING THE LENGTH OF A TABLE MULTIPLE TIMES. YOU'LL LIKELY GET SLIGHTLY DIFFERENT READINGS EACH TIME DUE TO IMPERFECTIONS IN YOUR MEASURING TOOL, YOUR OWN SLIGHT VARIATIONS IN HOW YOU HOLD IT, OR EVEN SUBTLE ENVIRONMENTAL CHANGES. THE AVERAGE OF THESE MEASUREMENTS GIVES YOU AN ESTIMATE OF THE TRUE LENGTH. BUT HOW RELIABLE IS THAT ESTIMATE? THAT'S WHERE STANDARD DEVIATION COMES IN.

THE STANDARD DEVIATION (σ) IS CALCULATED FROM A SET OF DATA. IT'S THE SQUARE ROOT OF THE VARIANCE, AND THE VARIANCE IS THE AVERAGE OF THE SQUARED DIFFERENCES FROM THE MEAN. MATHEMATICALLY, FOR A POPULATION, IT'S

REPRESENTED AS:

- $$\sigma = \sqrt{\frac{\sum_{i=1}^N (x_i - \mu)^2}{N}}$$

WHERE x_i ARE THE INDIVIDUAL DATA POINTS, μ IS THE POPULATION MEAN, AND N IS THE NUMBER OF DATA POINTS. IN EXPERIMENTAL PHYSICS, WE OFTEN WORK WITH A SAMPLE, SO WE USE THE SAMPLE STANDARD DEVIATION, DENOTED BY s , WHICH HAS A SLIGHTLY DIFFERENT DENOMINATOR ($N-1$) TO PROVIDE A BETTER ESTIMATE OF THE POPULATION STANDARD DEVIATION.

INTERPRETING STANDARD DEVIATION IN EXPERIMENTS

IN AN EXPERIMENTAL SETTING, IF YOU PERFORM A MEASUREMENT AND REPORT A VALUE ALONG WITH ITS UNCERTAINTY, THAT UNCERTAINTY IS OFTEN EXPRESSED AS A MULTIPLE OF THE STANDARD DEVIATION. FOR EXAMPLE, IF YOU MEASURE A VOLTAGE TO BE 5.0 ± 0.2 V, THE 0.2 V REPRESENTS SOME MEASURE OF THE UNCERTAINTY, OFTEN DERIVED FROM THE STANDARD DEVIATION OF MULTIPLE READINGS. A SMALLER STANDARD DEVIATION MEANS YOUR MEASUREMENTS ARE MORE CONSISTENT AND YOU HAVE HIGHER CONFIDENCE IN THE AVERAGE VALUE. A LARGER STANDARD DEVIATION SUGGESTS MORE VARIABILITY AND LESS CONFIDENCE IN A SINGLE MEASUREMENT OR EVEN THE AVERAGE. PHYSICISTS USE THIS TO ASSESS THE PRECISION AND ACCURACY OF THEIR EXPERIMENTS. WHEN COMPARING EXPERIMENTAL RESULTS WITH THEORETICAL PREDICTIONS, THE STANDARD DEVIATION IS CRUCIAL FOR DETERMINING IF THERE IS AGREEMENT OR A SIGNIFICANT DISCREPANCY.

THE IMPORTANCE OF GAUSSIAN DISTRIBUTION

THE CONCEPT OF STANDARD DEVIATION IS DEEPLY INTERTWINED WITH THE **GAUSSIAN DISTRIBUTION**, ALSO KNOWN AS THE BELL CURVE. MANY PHYSICAL PHENOMENA, WHEN MEASURED REPEATEDLY, TEND TO FOLLOW THIS DISTRIBUTION. IN A GAUSSIAN DISTRIBUTION, A CERTAIN PERCENTAGE OF DATA POINTS FALL WITHIN A SPECIFIC NUMBER OF STANDARD DEVIATIONS FROM THE MEAN. FOR INSTANCE, APPROXIMATELY 68.3% OF DATA POINTS LIE WITHIN ONE STANDARD DEVIATION ($\pm \sigma$) OF THE MEAN, ABOUT 95.4% LIE WITHIN TWO STANDARD DEVIATIONS ($\pm 2\sigma$), AND 99.7% LIE WITHIN THREE STANDARD DEVIATIONS ($\pm 3\sigma$). THIS STATISTICAL PROPERTY IS IMMENSELY USEFUL FOR PREDICTING THE PROBABILITY OF OBTAINING CERTAIN RESULTS AND FOR SETTING CONFIDENCE INTERVALS IN EXPERIMENTAL DATA ANALYSIS. WHEN WE TALK ABOUT "SIGMAS" IN THE CONTEXT OF PARTICLE PHYSICS DISCOVERIES (E.G., A "5-SIGMA RESULT"), WE ARE REFERRING TO HOW MANY STANDARD DEVIATIONS AWAY FROM THE EXPECTED BACKGROUND NOISE A SIGNAL IS, INDICATING A HIGH LEVEL OF STATISTICAL CERTAINTY.

SIGMA IN THERMODYNAMICS AND STATISTICAL MECHANICS

WHILE STANDARD DEVIATION REMAINS A KEY CONCEPT, SIGMA (σ) ALSO FINDS ITS PLACE IN OTHER AREAS OF PHYSICS, INCLUDING THERMODYNAMICS AND STATISTICAL MECHANICS. HERE, IT OFTEN RELATES TO PHYSICAL PROPERTIES OR STATISTICAL AVERAGES THAT DESCRIBE THE BEHAVIOR OF LARGE SYSTEMS.

SIGMA AS STEFAN-BOLTZMANN CONSTANT

IN THERMODYNAMICS, SPECIFICALLY IN THE STUDY OF BLACKBODY RADIATION, THE GREEK LETTER SIGMA (σ) IS FAMOUSLY USED TO REPRESENT THE **STEFAN-BOLTZMANN CONSTANT**. THIS FUNDAMENTAL PHYSICAL CONSTANT QUANTIFIES THE TOTAL ENERGY RADIATED PER UNIT SURFACE AREA OF A BLACK BODY IN UNIT TIME, WHICH IS PROPORTIONAL TO THE FOURTH POWER OF THE BLACK BODY'S ABSOLUTE TEMPERATURE. THE STEFAN-BOLTZMANN LAW IS EXPRESSED AS:

- $$P/A = \sigma T^4$$

WHERE P IS THE POWER RADIATED, A IS THE SURFACE AREA, T IS THE ABSOLUTE TEMPERATURE, AND σ IS THE STEFAN-BOLTZMANN CONSTANT, APPROXIMATELY $5.670 \times 10^{-8} \text{ W m}^{-2} \text{ K}^{-4}$. THIS

CONSTANT IS VITAL FOR UNDERSTANDING STELLAR TEMPERATURES, THE ENERGY BALANCE OF PLANETS, AND THE DESIGN OF THERMAL RADIATION SYSTEMS.

SIGMA IN STATISTICAL ENSEMBLES

IN STATISTICAL MECHANICS, SIGMA CAN ALSO APPEAR IN FORMULAS DESCRIBING VARIOUS STATISTICAL ENSEMBLES. FOR INSTANCE, WHEN CALCULATING THE AVERAGE ENERGY OR OTHER THERMODYNAMIC PROPERTIES OF A SYSTEM COMPOSED OF MANY PARTICLES, THE DISTRIBUTION OF POSSIBLE ENERGY STATES MIGHT BE CONSIDERED, AND THE SPREAD OF THESE ENERGIES COULD BE QUANTIFIED USING A STANDARD DEVIATION, WHICH WOULD AGAIN BE REPRESENTED BY σ . ALTHOUGH LESS COMMON AS A STANDALONE SYMBOL FOR A SPECIFIC THERMODYNAMIC PROPERTY COMPARED TO THE STEFAN-BOLTZMANN CONSTANT, ITS ROLE IN QUANTIFYING STATISTICAL FLUCTUATIONS WITHIN ENSEMBLES IS SIGNIFICANT.

SIGMA IN ELECTROMAGNETISM AND OPTICS

THE SYMBOL SIGMA (σ) ALSO MAKES APPEARANCES IN ELECTROMAGNETISM AND OPTICS, OFTEN RELATED TO MATERIAL PROPERTIES AND CONDUCTIVITY.

SIGMA AS ELECTRICAL CONDUCTIVITY

IN ELECTROMAGNETISM, σ IS THE STANDARD SYMBOL FOR **ELECTRICAL CONDUCTIVITY**. CONDUCTIVITY IS A MEASURE OF A MATERIAL'S ABILITY TO CONDUCT ELECTRIC CURRENT. IT'S THE RECIPROCAL OF RESISTIVITY (ρ), ANOTHER IMPORTANT ELECTRICAL PROPERTY. OHM'S LAW, IN ITS MICROSCOPIC FORM, RELATES CURRENT DENSITY ($\mathbf{J}$), ELECTRIC FIELD ($\mathbf{E}$), AND CONDUCTIVITY (σ) AS:

- $\mathbf{J} = \sigma \mathbf{E}$

A HIGH CONDUCTIVITY VALUE MEANS A MATERIAL IS A GOOD CONDUCTOR (LIKE COPPER), ALLOWING CHARGE TO FLOW EASILY WITH LITTLE RESISTANCE. CONVERSELY, A LOW CONDUCTIVITY INDICATES A POOR CONDUCTOR OR AN INSULATOR (LIKE RUBBER). UNDERSTANDING ELECTRICAL CONDUCTIVITY IS FUNDAMENTAL TO DESIGNING CIRCUITS, UNDERSTANDING POWER TRANSMISSION, AND DEVELOPING NEW ELECTRONIC MATERIALS.

SIGMA IN DIELECTRIC PROPERTIES

BEYOND SIMPLE CONDUCTIVITY, SIGMA CAN ALSO BE INVOLVED IN DESCRIBING THE DIELECTRIC PROPERTIES OF MATERIALS, PARTICULARLY IN AC CIRCUITS WHERE MATERIALS MAY EXHIBIT ENERGY LOSS DUE TO CONDUCTION WITHIN THE DIELECTRIC MEDIUM. IN SUCH CASES, THE COMPLEX PERMITTIVITY OF A MATERIAL CAN BE EXPRESSED IN TERMS OF ITS CONDUCTIVITY.

SIGMA IN PARTICLE PHYSICS: THE CROSS-SECTION

IN THE REALM OF PARTICLE PHYSICS, THE SYMBOL SIGMA (σ) TAKES ON A CRUCIAL AND DISTINCT MEANING: IT REPRESENTS THE **TOTAL SCATTERING CROSS-SECTION**, OR SIMPLY **CROSS-SECTION**, FOR A PARTICULAR INTERACTION. THIS IS NOT A PHYSICAL AREA IN THE GEOMETRIC SENSE, BUT RATHER A MEASURE OF THE PROBABILITY OF A SPECIFIC PARTICLE INTERACTION OCCURRING WHEN TWO PARTICLES COLLIDE. IT'S AN EFFECTIVE AREA THAT THE TARGET PARTICLE PRESENTS TO THE INCOMING PARTICLE FOR A PARTICULAR REACTION TO TAKE PLACE.

UNDERSTANDING THE CONCEPT OF CROSS-SECTION

IMAGINE A BEAM OF PARTICLES HITTING A TARGET. THE CROSS-SECTION (σ) FOR A SPECIFIC PROCESS (LIKE A

PARTICULAR TYPE OF SCATTERING OR PARTICLE CREATION) TELLS US HOW LIKELY THAT PROCESS IS TO HAPPEN. A LARGER CROSS-SECTION MEANS A HIGHER PROBABILITY OF INTERACTION, WHILE A SMALLER CROSS-SECTION MEANS A LOWER PROBABILITY. THE UNITS OF CROSS-SECTION ARE TYPICALLY GIVEN IN BARNS ($1 \text{ barn} = 10^{-28} \text{ m}^2$), A UNIT THAT HARKS BACK TO THE EARLY DAYS OF NUCLEAR PHYSICS WHERE INTERACTIONS WERE THOUGHT TO BE AS LARGE AS A BARN DOOR.

TYPES OF CROSS-SECTIONS

THERE ARE VARIOUS TYPES OF CROSS-SECTIONS, INCLUDING THE DIFFERENTIAL CROSS-SECTION (WHICH DESCRIBES THE PROBABILITY OF SCATTERING INTO A PARTICULAR SOLID ANGLE) AND THE TOTAL CROSS-SECTION (WHICH SUMS UP THE PROBABILITIES OF ALL POSSIBLE INTERACTIONS). THE TOTAL CROSS-SECTION IS PARTICULARLY IMPORTANT FOR UNDERSTANDING THE OVERALL INTERACTION RATE BETWEEN PARTICLES. EXPERIMENTS AT PARTICLE ACCELERATORS, SUCH AS THE LARGE HADRON COLLIDER, HEAVILY RELY ON MEASURING CROSS-SECTIONS TO STUDY FUNDAMENTAL PARTICLES AND FORCES, TO DISCOVER NEW PARTICLES, AND TO TEST THEORETICAL MODELS LIKE THE STANDARD MODEL OF PARTICLE PHYSICS.

OTHER NOTABLE USES OF SIGMA IN PHYSICS

BEYOND THE PRIMARY ROLES DISCUSSED, THE SYMBOL SIGMA (σ) CAN APPEAR IN NUMEROUS OTHER CONTEXTS ACROSS THE VAST LANDSCAPE OF PHYSICS, OFTEN IN SPECIALIZED EQUATIONS OR NOTATIONS.

SIGMA IN QUANTUM MECHANICS

IN QUANTUM MECHANICS, THE SIGMA SYMBOL IS FREQUENTLY USED TO REPRESENT THE **PAULI SPIN MATRICES** ($\sigma_x, \sigma_y, \sigma_z$). THESE ARE A SET OF THREE 2×2 COMPLEX MATRICES THAT ARE ESSENTIAL FOR DESCRIBING THE SPIN OF A QUANTUM PARTICLE, PARTICULARLY ELECTRONS. THE SPIN OF A PARTICLE IS AN INTRINSIC FORM OF ANGULAR MOMENTUM, AND THESE MATRICES FORM A BASIS FOR REPRESENTING SPIN OPERATORS. FOR EXAMPLE, THE SPIN OPERATOR FOR A SPIN- $1/2$ PARTICLE IN THE X-DIRECTION IS GIVEN BY $\hat{S}_x = \frac{\hbar}{2} \sigma_x$. THESE MATRICES PLAY A CRUCIAL ROLE IN UNDERSTANDING THE BEHAVIOR OF PARTICLES IN MAGNETIC FIELDS AND IN QUANTUM COMPUTING.

SIGMA IN COSMOLOGY AND ASTROPHYSICS

IN COSMOLOGY, SIGMA (σ) CAN SOMETIMES DENOTE OTHER QUANTITIES DEPENDING ON THE SPECIFIC MODEL OR PHENOMENON BEING STUDIED. FOR INSTANCE, IT MIGHT BE USED TO REPRESENT THE **VELOCITY DISPERSION** OF GALAXIES WITHIN A CLUSTER, WHICH IS A MEASURE OF THE RANDOM MOTIONS OF GALAXIES. THIS IS ANALOGOUS TO THE STANDARD DEVIATION OF PARTICLE VELOCITIES IN A GAS. IN ASTROPHYSICS, IT CAN ALSO APPEAR IN FORMULAS RELATED TO GRAVITATIONAL LENSING OR THE PROPERTIES OF STELLAR ATMOSPHERES.

THE FLEXIBILITY OF THE SIGMA SYMBOL MAKES IT A WORKHORSE IN THE PHYSICIST'S TOOLKIT. WHETHER IT'S QUANTIFYING THE FUZZINESS OF EXPERIMENTAL DATA, THE RADIATING POWER OF A STAR, THE EASE WITH WHICH ELECTRICITY FLOWS THROUGH A WIRE, OR THE LIKELIHOOD OF A SUBATOMIC COLLISION, SIGMA PLAYS A VITAL ROLE IN DESCRIBING AND UNDERSTANDING THE PHYSICAL WORLD AROUND US.

FREQUENTLY ASKED QUESTIONS

Q: WHAT IS THE PRIMARY MEANING OF SIGMA (σ) IN PHYSICS?

A: THE PRIMARY AND MOST COMMON MEANING OF SIGMA (σ) IN PHYSICS IS THE SYMBOL FOR STANDARD DEVIATION, WHICH IS A STATISTICAL MEASURE OF THE DISPERSION OR SPREAD OF A SET OF DATA POINTS AROUND THEIR MEAN. IT IS FUNDAMENTAL FOR QUANTIFYING UNCERTAINTY IN EXPERIMENTAL MEASUREMENTS.

Q: IN THERMODYNAMICS, WHAT DOES SIGMA (σ) REPRESENT?

A: IN THERMODYNAMICS, SIGMA (σ) IS FAMOUSLY USED TO REPRESENT THE STEFAN-BOLTZMANN CONSTANT, A FUNDAMENTAL PHYSICAL CONSTANT THAT QUANTIFIES THE TOTAL ENERGY RADIATED PER UNIT SURFACE AREA OF A BLACK BODY IN UNIT TIME, PROPORTIONAL TO THE FOURTH POWER OF ITS ABSOLUTE TEMPERATURE.

Q: HOW IS SIGMA (σ) USED IN ELECTROMAGNETISM?

A: IN ELECTROMAGNETISM, SIGMA (σ) IS THE STANDARD SYMBOL FOR ELECTRICAL CONDUCTIVITY, WHICH MEASURES A MATERIAL'S ABILITY TO CONDUCT ELECTRIC CURRENT. IT IS THE RECIPROCAL OF RESISTIVITY.

Q: WHAT DOES SIGMA (σ) SIGNIFY IN PARTICLE PHYSICS?

A: IN PARTICLE PHYSICS, SIGMA (σ) REPRESENTS THE CROSS-SECTION, WHICH IS A MEASURE OF THE PROBABILITY OF A SPECIFIC PARTICLE INTERACTION OCCURRING. IT'S AN EFFECTIVE AREA THAT A TARGET PARTICLE PRESENTS FOR A PARTICULAR REACTION.

Q: ARE THERE OTHER IMPORTANT USES OF SIGMA (σ) IN PHYSICS?

A: YES, SIGMA (σ) IS ALSO USED IN QUANTUM MECHANICS TO REPRESENT THE PAULI SPIN MATRICES (σ_x , σ_y , σ_z), WHICH ARE CRUCIAL FOR DESCRIBING PARTICLE SPIN. IT CAN ALSO APPEAR IN COSMOLOGY AND ASTROPHYSICS TO DENOTE QUANTITIES LIKE VELOCITY DISPERSION.

Q: WHY IS STANDARD DEVIATION IMPORTANT IN PHYSICS EXPERIMENTS?

A: STANDARD DEVIATION IS CRUCIAL BECAUSE NO PHYSICAL MEASUREMENT IS PERFECTLY PRECISE. IT QUANTIFIES THE INHERENT UNCERTAINTY IN MEASUREMENTS, ALLOWING PHYSICISTS TO ASSESS THE RELIABILITY OF THEIR DATA, COMPARE EXPERIMENTAL RESULTS, AND DETERMINE THE CONFIDENCE IN THEIR FINDINGS.

Q: WHAT IS THE RELATIONSHIP BETWEEN SIGMA (σ) AND THE GAUSSIAN DISTRIBUTION?

A: THE STANDARD DEVIATION (σ) IS A KEY PARAMETER OF THE GAUSSIAN DISTRIBUTION. IT DESCRIBES THE WIDTH OF THE BELL CURVE, INDICATING HOW SPREAD OUT THE DATA IS. A SPECIFIC PERCENTAGE OF DATA POINTS ARE KNOWN TO FALL WITHIN CERTAIN MULTIPLES OF THE STANDARD DEVIATION FROM THE MEAN IN A GAUSSIAN DISTRIBUTION.

[What Is Sigma In Physics](#)

What Is Sigma In Physics

Related Articles

- [what the bible says about physics](#)
- [what is the meaning of displacement in physics](#)
- [what is vy in physics](#)

[Back to Home](#)